


Motorcycle O-Ring Chain Standard and Heavy Duty



Chain No.	Pitch	Roller Diameter	Width between inner plates	Pin Diameter	Pin Length		Inner Plate Depth	Plate thickness	Ultimate tensile strength	Weight per meter
	P	d1 Max	b1 Min	d2 max	L max	Lc max	h2 max	max	Q min	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m
420-0	12.70	7.77	6.25	3.96	17.60	18.80	12.00	1.50	16.0	0.60
428-0	12.70	8.50	7.75	4.45	19.60	21.00	12.00	1.60	18.0	0.82
520-0	15.875	10.16	6.35	5.08	20.20	21.50	15.00	2.03	26.5	1.04
525-0	15.875	10.16	7.95	5.08	21.75	23.00	15.00	2.03	26.5	1.10
530-0	15.875	10.16	9.40	5.08	23.90	25.10	15.00	2.03	26.5	1.16
630-0	19.05	11.91	9.40	5.94	25.25	26.50	18.00	2.42	35.0	1.52
420H-0	12.70	7.77	6.25	3.96	18.90	20.20	12.00	1.80	17.0	0.73
428H-0	12.70	8.50	7.94	4.45	20.10	21.50	12.30	2.03	22.0	0.85
520H-0	15.875	10.16	6.35	5.08	20.20	21.70	15.00	2.25	30.0	0.95
525H-0	15.875	10.16	7.95	5.24	21.75	23.00	15.00	2.25	34.0	1.01
530H-0	15.875	10.16	9.40	5.24	24.90	26.20	15.00	2.42	37.0	1.19
630H-0	19.05	11.91	9.40	5.94	28.60	30.00	18.00	3.25	38.0	1.56

